



Guidance Document

EXISTING SWIMMING POOL ALTERATIONS

Issue Date: August 10, 2016

BACKGROUND	All swimming pool designs and alterations under the scope of this chapter shall be submitted to the department for review and approval.
GOALS OF RULES AND POLICIES	The goal is to protect public health of pool patrons from the constructed environment.
APPLICABLE RULES	<p>SPS 390.02(1) This chapter applies to the design, construction, reconstruction and alteration of all public swimming pools, water attractions and associated slides.</p> <p>SPS 390.03(26) “Reconstructed or altered pool” means a pool construction project where replacement of or modification to the pool shell, circulation system and appurtenances occur. It does not include the replacement of equipment or piping previously approved by the department, provided that the type and size of equipment are not changed, nor does it include normal maintenance or repair.</p> <p>SPS 390.04(1)(a) Plan review and approval is required from the department prior to the start of construction in accordance with this section.</p>
NOTIFICATION	The Department of Agriculture, Trade and Consumer Protection is cc'd as part of the plan approval process. Contact Samantha Fiscus, Recreational Water and Lodging Environmental Health Technical Specialist, at Samantha.Fiscus@wisconsin.gov
DOCUMENTATION	A conditional approval of a plan by the department shall not be construed as an assumption by the department of any responsibility for the design. The department does not hold itself liable for any defects in construction or for any damages that may result from the specific installation.
DEPARTMENT TRACKING	<p>The Division of Industry Services reserves the right to amend/revise this document as conditions arise making them necessary for code compliance and/or to protect public health and the waters of the state.</p> <p>For more information, contact a Wisconsin Department of Safety and Professional Services Plumbing/Pool Consultant at 608-267-9421 or send an email to: DspsSbPoolTech@wi.gov</p>
FEES	<p>SPS 302.04(1) Unless specified otherwise in this chapter, the fee for department costs incurred in performing miscellaneous plan reviews shall be \$80.00 per hour per plan, with a minimum fee of \$80.00 per plan.</p> <p>SPS 302.04(2) Specifies the fees for department costs incurred in performing miscellaneous inspections or investigations, including special inspections for alterations, fabrication, repairs, testing, electrical construction and quality assurance methods, which are either provided on request or to satisfy administrative code requirements, shall be determined and assessed in accordance with Table 302.04.</p>

**APPLICABLE
POLICY**

The following table lists situations where an alteration or reconstruction exists and state level plan review is required for an existing swimming pool per SPS 390.02(1) where pervious department approval is not documented.

Actions that require plan review:

	Situation	Yes	No
A	Replace pool filter. (like for like ¹)		X
B	Replace pool pump. (like for like ²)		X
C	Replace pool water heater/exchanger.		X
D1	Install/replace single wall heat exchanger	X	
D2	Replace chemical controller.		X
D3	Replace chemical pump.		X
D4	Replace chemical system (liquid chlorine with chlorine erosion).		X
D5	Replace chemical system (chlorine erosion to liquid chlorine).	X	
D6	Replace chemical system, (Bromine erosion to chlorine erosion, or liquid chlorine)	X	
D7	Replace/enhance erosion feeder into solution with pump injection.	X	
E1	Replace sections of deck >25% of total area.	X	
E2	Resurface pool deck.	X	
F1	Paint, and/or refinish a pool basin.		X
F2	Replace main drain grates. (like for like ³)		X
F3	Replace main drain sumps.	X	
F4	Replace pool stairs.	X	
F5	Refinish pool stairs.		X
G	Replace > 20 feet pool fence.	X	
H1	Install pool chair lift (permanent) using water as energy source ⁴	X	
H2	Install electrified pool chair lift (permanent) with 3 feet of clearance on deck.		X
J1	Install pool slide.	X	
J2	Install pool activity. (Re: climb wall,)	X	
J3	Install pool activity ⁵ . (Re: 1 basketball hoop)		X
K1	Replace handrails.		X
K2	Replace pool ladder.		X
L1	Replace pool piping in equipment room (>10 feet).	X	
H12	Replacing recirculation/return piping (>10 feet).	X	
L3	Repair piping, fittings, controls, meters, or gauges.		X
L4	Installing a SVRS system.		X
M	Installation of electrical bonding.		X
N	Deck alterations that include obstructions.	X	
O1	Replacement of a pool liner.		X
O2	Repairing an existing pool by installing/utilizing a liner.	X	

Notes:

1. "Like for Like" means an equivalence sand to sand, DE to DE, cartridge to cartridge gpm rating.
2. "Like for Like" means an equivalence pump with matching pump curve.
3. "Like for Like" means same manufacturer, dimensions and gpm capacity.
4. For technical assistance on ADA requirements contact: 800-514-0301.
5. Follow manufacturer's installation instructions.