

Wisconsin Department of Safety and Professional Services  
Division of Policy Development  
1400 E. Washington Ave  
PO Box 8366  
Madison WI 53708-8366



Phone: 608-266-2112  
Web: <http://dsps.wi.gov>  
Email: [dsps@wisconsin.gov](mailto:dsps@wisconsin.gov)

**Scott Walker, Governor**  
**Dave Ross, Secretary**

---

**DEPARTMENT OF SAFETY AND PROFESSIONAL SERVICES**  
**Room 121 A, 1400 E. Washington Avenue, Madison**  
**Contact: Dan Smith, Rules Coordinator (608) 261-4463**  
**June 8, 2015**  
**9:00 A.M.**

Public Hearing on Administrative Rule SPS 320-325 Uniform Dwelling Code Update, relating to one- and two-family dwellings.

\*\*\*\*\*  
ALL HEARINGS ARE OPEN TO THE PUBLIC, AND MAY BE CANCELLED WITHOUT NOTICE.

Times listed in conjunction with hearings are approximate and depend on the length of discussion and testimony. In order to confirm a hearing or to request a complete copy of rules relating to this hearing, please call the listed contact person. All hearings are held at 1400 East Washington Avenue; Madison Wisconsin, unless otherwise noted. Interpreters for the hearing impaired provided upon request by contacting the Affirmative Action Officer, 608-266-2112.

## Notice of Hearing

The Department of Safety and Professional Services announces that it will hold a public hearing on a permanent rule to repeal SPS 320.07 (34m), (67), and (67m), 320.085, 320.09 (5) (d), 320.24 (2) Table 320.24–8, 321.02 (3) (g) 1., 321.125 (3) (a) 2. (Note) and (b), 321.126, 321.28 (3) (a) (Note) [2] and (b), 322.01 (3) (Note), 322.20 (6), 322.31 Table 322.31–4 (Note), and 322.38 (2) (c) 4. (Note); to renumber SPS 321.02 (1) (b) 1. Table 321.02, 321.10 (2) (f), 321.25 (3) (intro.), (a), and (b), 322.01 (3), 322.32 (1), 322.32 (9), 323.04 (4), 323.045 (5) (a), 323.045 (6) (a), and 323.14 (1); to renumber and amend SPS 320.24 (2) Table 320.24–2, 321.02 (1) (d), (title), and (Note), 321.04 (3) (a) 4. c. and (b) 1., and (4) (c) 1. and 2., 321.045 (4) (c), 321.05 (2) (a) and (3) (intro.) to (d) and (e), 321.06, 321.12, 321.15 (1) (e) 2., 321.28 (7) (c), 322.33 (1), 322.38 (1) (b), 323.045 (6) (a) (intro.), 323.14 (2) (a), 325.01 and SPS 320 to 325 Appendix, Minimum Fastener Schedule Table; to consolidate, renumber, and amend 321.02 (3) (g) (intro.) and 2.; to amend SPS 320.07 (5), (34f), (47), (50), (62) (intro.), and (66), 320.09 (5) (b) 2. d. and (6) (d), 320.24 (1), (2), (2) (Note) and (2) Tables 320.24–1 to 320.24-3, Table 320.24-4 Heading, and Tables 320.24-5 to 320.24-7 and 320.24-9 to 320.24-13, 321.02 (3) (c) and (3) (d) 1. and 2., 321.03 (1) (c) and (d), (2) (a) to (c) and (6) (d) 5. and (e) 4. and 5., (7) (a) 4., and (8) (b), and (c) 1. and 3., 321.04 (1) (a) 2., (2) (a) 1. and (c) 4. a. and b., (3) (title) to (a) 5., (b) 3. a. and b., (c) (title) to 1. a. and 2. and 3., and (4) (a) 2. and (b), 321.05 (1) (intro.), 321.08 Table 321.08, 321.125 (3) (a) 2., 321.16 (1) (a), 321.18 (1) (c) 3. a. and (d) 2. c. and (4), 321.25 Table 321.25–A footnote d, Table 321.25–I (title), and Table 321.25–J (title), 321.27 (4) (d), 321.28 (3) (a) 2., 322.21 (3) (b), 322.31 Table 322.31–4, 322.34 (2) (d), 322.38 (2) (c) 4., 323.04 Table 323.04–A footnote 5, 323.045 (6) (a) and (8) (intro.), and 323.16 (2) (a); and to create SPS 320.02 (1) (ce), (cm), (cs), and (Notes), 320.07 (36r) and (37m), 320.24 (2) Table 320.24–12, Row 3, 321.02 (3) (d) (Note), (3) (h) 2., and (4) (Note), 321.03 (1) (b) (Note) and (h) 3., (6) (f) and (Note), and (11), 321.04 (3) (b) 1. b. to d. and (c) 1. d., and (4) (d) (title) and 2., 321.045 (4) (c) 2., 321.05 (1m), and (2) (a) 2. and (b) 1. to 3., 321.06 (1) (b) and (3) to (6), 321.08 (3) (c), 321.09 (2) (a) (Note), 321.10 (2) (f) 2., 321.12 (title), (2), and (3), 321.15 (1) (e) 2., 321.16 (2) (d), 321.18 (1) (c) 3. d. and (d) 2. c. (Note), 321.22 (9) (a) (Note) and (b) (Note) and (10) and (Notes), 321.24 (3) (e) and (Note) and (f) and (Note), 321.25 (2m) and (3) (a) (title), 321.25 Table 321.25–I footnote j and Table 321.25–J footnote j, 321.25 (8) (a) (Note) [2], 321.26 (8) (Note), 321.28 (3) (a) 6. and (7) (c) 2., 322.01 (3) (b), 322.32 (1) (b) and (9) (b), 322.33 (1) (b) and (3) (c), 322.38 (1) (b) 2. and (2) (c) 4. (Note) and 5., 322.42 (1m), 323.04 (4) (b) and (Note) [2], 323.045 (5m) and (6) (a) (title), 323.06 (1) (d), (e), and (f), 323.14 (1) (b) and (2) (a) 1., and 325.01 (1) (title) and (2) to (4), relating to one- and two-family dwellings , at the time and place shown below.

### Hearing Information

Date: June 8th

Time: 9:00 a.m.

Location: 1400 East Washington Avenue, Room 121A  
Madison, Wisconsin

### Appearances at the Hearing and Submittal of Written Comments

The rule may be reviewed at <http://dsps.wi.gov/Boards-Councils/Rulemaking/Public-Hearing-Comments/>.

Comments may be submitted to Dan Smith, Rules Coordinator, Department of Safety and Professional Services, Division of Policy Development, 1400 East Washington Avenue, Room 151, P.O. Box 8366, Madison, WI 53708-8935, or by email to [Daniel2.Smith@wisconsin.gov](mailto:Daniel2.Smith@wisconsin.gov). Comments must be received on or before the public hearing to be included in the record of rule-making proceedings.

### Initial Regulatory Flexibility Analysis

The proposed rule will not have a *negative* effect on small businesses, as defined under s. 227.114 (1).

### Agency Small Business Regulatory Coordinator

Eric Esser, [Eric.Esser@wisconsin.gov](mailto:Eric.Esser@wisconsin.gov), (608) 267-2435